NZXT

H9 ELITE

PREMIUM DUAL-CHAMBER
MID-TOWER CASE





ABOUT THE PRODUCT

The H9 Elite is designed to cool off powerful GPUs with its expansive thermal capabilities, featuring a ten fan capacity and numerous 360mm radiator mounting options. Show off every angle with a tempered glass top panel and a built-in RGB & Fan Controller. The unique wraparound glass design with a dual-chamber layout is the perfect showcase for premium components.




ENORMOUSLY COOL

The H9 Elite features space and cooling for high-powered components. With room for up to ten fans and direct airflow to the GPU, the H9 Elite is ready to cool off even the most powerful video cards. With support for three 360mm radiators, three included F120 RGB Duo Fans and one F120Q Fan, The H9 Elite is a capable cooling machine.




DAZZLE WITH NZXT CAM

Featuring the NZXT RGB & Fan Controller V2 and three F120RGB Duo fans, the H9 Elite is ready to wow with vibrant custom-colored builds and cool in style with controllable fan curves.



CREATIVELY FLEXIBLE


The H9 Series simplifies building a premium PC with plenty of room for powerful components. Featuring wide cable channels, bridges, and velcro straps, installation is a breeze. A dedicated removable SSD wall panel offers plenty of storage space, and built-in hinge magnets make mounting drives easy. Room for up to three sets of 360mm radiators or fans offers maximized cooling, and the removable side brackets allow side-mounting to free up interior space.



CLEARLY UNIQUE

The H9 Elite features an uninterrupted glass panel showcasing premium components in style and providing the perfect view of the case interior. The dual chamber design separates components from cables, storage, and the PSU, highlighting a clean and organized aesthetic. Three F120 RGB Duo Fans and one F120Q Fan are included alongside a tempered glass top panel to help show off incandescent builds.

SPECIFICATIONS



Dimensions						
With Feet	W: 290mm H: 495mm D: 466mm					
Without Feet	W: 290mm H: 465mm D: 466mm					
Material(s)	SGCC Steel, Tempered Glass					
Weight	eight 13.9 kg					
Notherboard Support ATX, Micro-ATX, mini-ITX						
I/O Ports	2 x USB 3.2 Gen 1 Type-A					
	1 x USB 3.2 Gen 2 Type-C					
	1 x Headset Audio Jack					
Filters	All Air Intakes					
Included Accessories	Installation screws					
	10 x Cable ties					
RGB & Fan Controller	Fan Channels: 3					
	NZXT RGB Connector: 6 (Support up to 120 LEDs)					
Expansion Slots	7					
Drive Bays						
2.5"	4 + 2					
3.5"	2					
Radiator Support						
Side	UP to 360mm (120/240/360mm)					
Тор	UP to 360mm (120/140/240/280/360mm)					
Bottom	UP to 360mm (120/140/240/280/360mm)					
Rear	UP to 120mm					
Fan Support						
Side	3 x 120mm (3 x F Series RGB Duo 120mm included)					
Тор	3 x 120mm / 2 x 140mm					
Bottom	3 x 120mm / 2 x 140mm					
Rear	1 x 120mm (1 x F Series Quiet 120mm (Case Version					
	included)					

Ean Space	E1200 Airflow Ean (Casa Varsian)
Fan Specs	F120Q Airflow Fan (Case Version) 1200 ± 240 RPM
Speed	
Airflow	62.18 CFM
Static Pressure	1.05 mm-H ₂ O
Noise	25.1 dBA
Fan Connector	3-pin
	F120RGB DUO Fan
Speed	500 ± 1800 RPM
Airflow	48.58 CFM
Static Pressure	2.42 mm-H ₂ O
Noise	29 dBA
Fan Connecvtor	4-pin
Clearance	
Cable Management	Max 91mm
GPU Clearance	Max 435 mm
CPU Cooler Clearance	Max 165mm
PSU Clearance	Max 200mm
Warranty	2 Years

PACKAGING INFO.





Unit (RETAIL BOX)	
Dimensions (WxHxD)	562x370x567mm
Volume	0.118 m ³
Net Weight	13.1 Kg
Gross Weight	14.8 Kg
W/O Pallet	
20GP	236 cartons
40GP	498 cartons
40HQ	582 cartons
45HQ	655 cartons
Pallet	
20GP	18 cartons x 10 pallets = 180 cartons
40GP	18 cartons x 20 pallets = 360 cartons
40HQ	24 cartons x 20 pallets = 480 cartons
Air Ship With Pallet	
Pallet Size (LxWxW)	1140 x 1130 x 120 mm
	6 Retail Box/Pallet







H9	E	lite	-	All	В	lac	

Model	CM-H91EW-01	CM-H91EB-01
EAN	5056547202440	5056547202433
UPC	810074842525	810074842518

PRODUCT GALLERY

All White







All Black









COMPARISON CHART

COMPANY	NZXT	Corsair	Lian Li	Hyte	Corsair	NZXT	Corsair
Product Name	H9 Flow	5000D / 5000D Airflow	pc-o11-dynamic		5000X RGB	H9 Elite	680X RGB
Floduct Name	TIS Flow	3000D AITHOW	pe-on-dynamic		SOUCK ROD	TIS Little	OSOX ROD
Product Image							
Pricing							
Global MSRP	\$159.99	\$174.99	\$189.99	\$199.99	\$214.99	\$239.99	\$274.99
	> Max 10 fans Support & 3 Set Radiators (360mm)	> max 10 x 120mm fan mounts	› Dual PSU capability	> White/Black, Black/Black, Red/Black	› Four tempered glass panels	Max 10 fans Support & 3 Set Radiators (360mm)	› Dual-chamber layout
	All White Sku	Steel Front Panel / airflow-optimized front panel	Dual chamber design	3-Piece panoramic glass	max 10 x 120mm fan mounts	All White Sku	superb airflow and brilliant software-controlled RGB lighting
Notable Features	Uninterrupted glass panel for a clear view of the interior	2 colors (White & Black)	seamless front and side tempered glasses	Built-in GPU riser cable	Room for multiple radiators (Top, front, side)	Uninterrupted glass panel for a clear view of the interior	
	Direct airflow to the GPU for handling high-powered components	Room for multiple radiators (Top, front, side)	Up to three 360 Radiators (Top/Bottom/Side)	Dual-chamber layout	RGB Smart control	Direct airflow to the GPU for handling high-powered components	Install up to 8x 120mm or 7x 140mm fans
						Built-in RGB & Fan controller	
						3 x 120mm duo RGB fans included	
Specification Motherboard Support	ATX, Micro-ATX, Mini-ITX	ATX	Mini-ITX, MicroATX, ATX, E-ATX	EATX, ATX, mATX, ITX	ATX	ATX, Micro-ATX, Mini-ITX	ATX
Enclosure Type	Mid-Tower	Mid-Tower	Mid-Tower	Mid-Tower	Mid-Tower	Mid Tower	Mid Tower
Case Material	SGCC Steel, Tempered Glass	Steel, Tempered Glass, Plastic	SECC Glass, Aluminum	Tempered Glass, Steel, ABS	Steel, Tempered Glass, Plastic	SGCC Steel, Tempered Glass	Steel, Tempered Glass
Dimensions (mm) (HxWxD)	465 x 290 x 466	520 x 245 x 520	446 x 272 x 445	462 x 285 x 456	520 x 248 x 520	"465 x 290 x 466	505 x 344 x 423
Weight (kg)	495 x 290 x 466 (With Feet) 12.1	13.84	-	9.97	13.84	495 x 290 x 466 (With Feet)"	11.58
Litres	66.89	66.248	53.98	60.04	67.06	66.89	73.48
Compatibility & Clearance	00.00	00.2.10	55.50	35.6 .	57.55	00.02	76.16
Max CPU Clearance	max 165mm	170mm	155mm	160mm	170mm	max 165mm	180mm
Max GPU Clearance	max 435mm	400mm	max 420mm	375mm length, 75mm thick	400mm	max 435mm	330mm
Cable Management Clearance	max 91mm	max 25mm	-	-	max 25mm	max 91mm	-
PSU Clearance	up to 200mm	250mm	-	ATX up to 235mm in length	250mm		225mm
Front I/O Ports					PWM fan repeater		PWM fan repeater
USB 3.2 Gen 1 Type-A	2	2	2	2	2	2	2
USB 3.2 Gen 1 Type-C	1	1	1	1	1	1	1
Headset Audio Jack Expansion Slots		1 Headphone/Mic Combo Jack	1x Mic,1x Headphone	1	1 Headphone/Mic Combo Jack	1	1x Mic, 1x Headphone
Standard	7	7	8	3 + 6 half-height	7	7	8
Vertical	,	2	-	-	2	0	2
Drive Bays							
2.5"	4+2	4	6	4	4	4+2	4
3.5"	2	2	3	2	2	2	3
Smart Device							
	-	<u> </u>	-	·	iCUE Lighting Node (6 lightings)	RGB and Fan Controller (3 fans and 6 lightings)	Lighting Node Pro
Fan Support		7,120,000 / 0 :: 140,000			7:/120mm / 2:: 140mm		7 v 120 mm / 2 v 140 mm
Front	- 3 x 120mm / 2 x 140mm	3x120mm / 2 x 140mm 3x120mm / 2 x 140mm	- 3x120mm, 2x140mm	- 3x 120mm	3x120mm / 2 x 140mm 3x120mm / 2 x 140mm	- 3 x 120mm / 2 x 140mm	3 x 120mm / 2 x 140mm 2 x 120mm / 2 x 140mm
Rear	1x120mm	1x120mm		1x 120mm	1x120mm	1x120mm	1 x 120mm / 1 x 140mm
Bottom	3 x 120mm / 2 x 140mm	-	3x120mm	2x 120mm/140mm	-	3 x 120mm / 2 x 140mm	2 x 120mm / 2 x 140mm
Side	3 x 120mm / 2 x 140mm	3x120mm	3x120mm	2x 120/140mm	3x120mm	3 x 120mm / 2 x 140mm	-
Stock Fan	4 x 120mm	2x120mm	-	3x120mm	3 x RGB 120mm	4 (1 x 120mm & 3 x RGB 120mm)	4 (1 x 120mm & 3 x RGB 120mm)
Radiator Support							
Front	-	Up to 360mm / 280mm	-	-	Up to 360mm / 280mm		Up to 360mm
Тор	Up to 360mm	Up to 360mm / 280mm	Up to 360mm	Up to 360mm	Up to 360mm / 280mm	Up to 360mm	Up to 280mm
Rear	Up to 120mm Up to 360mm	120mm -	- Up to 360mm	120mm Up to 280mm	120mm -	Up to 120mm Up to 360mm	Up to 140mm Up to 280mm
Side	Up to 360mm	- Up to 360mm	Up to 360mm		- Up to 360mm	Up to 360mm	
Dust Filters	bottom, side, top	-	(Top) x1, (Side) x2, (Bottom) x1	Bottom, Side, Top	-	bottom, side	-
Warranty (Years)	2	2	-	3	-	2	-