



CommBox LED Board 16:9

SPECIFICATIONS



SKU	CBLB12013	CBLB13815	CBLB13819	CBLB15017	CBLB16519	CBLB18020	CBLB22012	CBLB22025
SKU - Impact Resistant	CBLB12013-APL	CBLB13815-APL	CBLB13819-APL	CBLB15017-APL	CBLB16519-APL	CBLB18020-APL	CBLB22012-APL	CBLB22025-APL
Sizes	120"	138"	138"	150"	165"	180"	220"	220"
Pixel Pitch	1.3mm	1.5mm	1.9mm	1.7mm	1.9mm	2mm	1.2mm	2.5mm
Brightness (nits)	100-550	100-550	100-550	100-550	100-550	100-550	100-550	100-550
Panel Resolution	1920 x 1080	1920 x 1080	1600 x 900	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	3840 x 2160
Aspect Ratio	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9
Panel Weight	90kg	135kg	135kg	135kg	190kg	190kg	330kg	330kg
Average Power	0.74kw	0.68kw	0.79kw	0.82kw	1.13kw	1.18kw	2.48kw	1.76kw
Power Consumption	1.85kw	1.99kw	1.97kw	2.42kw	2.83kw	3.38kw	6.02kw	5.2kw
LED Lifespan	≥100,000hrs	≥100,000hrs	≥100,000hrs	≥100,000hrs	≥100,000hrs	≥100,000hrs	≥100,000hrs	≥100,000hrs
Service Access	Front	Front	Front	Front	Front	Front	Front	Front
LED Configuration	SMD	SMD	SMD	SMD	SMD	SMD	SMD	SMD
View Angle Horizontal	170°	170°	170°	170°	170°	170°	170°	170°
View Angle Vertical	170°	170°	170°	170°	170°	170°	170°	170°
Viewing Size	2664 x 1499	3050 x 1716	3050 x 1715	3330 x 1873	3660 x 2058	3996 x 2248	4880 x 2745	4880 x 2745
Physical Size (mm)	2678 x 1616 x 28.5	3064 x 1832 x 31	3064 x 1832 x 31	3344 x 1990 x 28.5	3674 x 2175 x 31	4010 x 2365 x 28.5	4884 x 2862 x 31	4893 x 2862 x 31
Cabinets	4 x 4	5 x 5	5 x 5	5 x 5	6 x 6	6 x 6	8 x 8	8 x 8
Viewing Distance	2.8m +	3m +	3.6m +	3.3m +	3.6m +	4m +	2.3m +	4m +
Contrast	6500:1	6500:1	6500:1	6500:1	6500:1	6500:1	6500:1	6500:1
Colour Temperature	2300-9300K (adjustable)	2300-9300K (adjustable)	2300-9300K (adjustable)	2300-9300K (adjustable)	2300-9300K (adjustable)	2300-9300K (adjustable)	2300-9300K (adjustable)	2300-9300K (adjustable)


CommBox LED Board 16:9



SPECIFICATIONS

SKU	CBLB12013	CBLB13815	CBLB13819	CBLB15017	CBLB16519	CBLB18020	CBLB22012	CBLB22025
SKU - Impact Resistant	CBLB12013-APL	CBLB13815-APL	CBLB13819-APL	CBLB15017-APL	CBLB16519-APL	CBLB18020-APL	CBLB22012-APL	CBLB22025-APL
Frame Material	Magnalium	Magnalium	Magnalium	Magnalium	Magnalium	Magnalium	Magnalium	Magnalium
Installation	Wall, Hanging, Stand	Wall, Hanging, Stand	Wall, Hanging, Stand	Wall, Hanging, Stand	Wall, Hanging, Stand	Wall, Hanging	Wall, Hanging	Wall, Hanging
INPUTS								
HDMI 2.0 Input	3 (2 Internal, 1 External)	3 (2 Internal, 1 External)	3 (2 Internal, 1 External)	3 (2 Internal, 1 External)	3 (2 Internal, 1 External)	3 (2 Internal, 1 External)	3 (2 Internal, 1 External)	3 (2 Internal, 1 External)
HDMI 2.0 Output	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)
USB 2.0	1 (External)	1 (External)	1 (External)	1 (External)	1 (External)	1 (External)	1 (External)	1 (External)
USB 3.0	1 (External)	1 (External)	1 (External)	1 (External)	1 (External)	1 (External)	1 (External)	1 (External)
Type-C	1 (External)	1 (External)	1 (External)	1 (External)	1 (External)	1 (External)	1 (External)	1 (External)
3.5 Audio Output	2 (1 Internal, 1 External)	2 (1 Internal, 1 External)	2 (1 Internal, 1 External)	2 (1 Internal, 1 External)	2 (1 Internal, 1 External)	2 (1 Internal, 1 External)	2 (1 Internal, 1 External)	2 (1 Internal, 1 External)
Audio Optical Output	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)
RS232 Port	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)
RS485 Port	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)	1 (Internal)
Bluetooth	1 (Wireless)	1 (Wireless)	1 (Wireless)	1 (Wireless)	1 (Wireless)	1 (Wireless)	1 (Wireless)	1 (Wireless)
LAN	LAN (Internal)	LAN (Internal)	LAN (Internal)	LAN (Internal)	LAN (Internal)	LAN (Internal)	LAN (Internal)	LAN (Internal)
Audio	2 x 30W speakers, 2.0 channel, full frequency range	2 x 30W speakers, 2.0 channel, full frequency range	2 x 30W speakers, 2.0 channel, full frequency range	2 x 30W speakers, 2.0 channel, full frequency range	2 x 30W speakers, 2.0 channel, full frequency range	2 x 30W speakers, 2.0 channel, full frequency range	2 x 30W speakers, 2.0 channel, full frequency range	2 x 30W speakers, 2.0 channel, full frequency range

CommBox LED Board 16:9



SPECIFICATIONS

SKU	CBLB12013	CBLB13815	CBLB13819	CBLB15017	CBLB16519	CBLB18020	CBLB22012	CBLB22025
SKU - Impact Resistant	CBLB12013-APL	CBLB13815-APL	CBLB13819-APL	CBLB15017-APL	CBLB16519-APL	CBLB18020-APL	CBLB22012-APL	CBLB22025-APL
Video Processor	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in
Picture in Picture	HDMI 2.0	HDMI 2.0	HDMI 2.0	HDMI 2.0	HDMI 2.0	HDMI 2.0	HDMI 2.0	HDMI 2.0
Remote Control	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Control via App	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Screen Control	RS232 - IP Control	RS232 - IP Control	RS232 - IP Control	RS232 - IP Control	RS232 - IP Control	RS232 - IP Control	RS232 - IP Control	RS232 - IP Control
Controller	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Wireless Screensharing	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Low Blue Light	Automatic brightness adjustment + 4 different modes	Automatic brightness adjustment + 4 different modes	Automatic brightness adjustment + 4 different modes	Automatic brightness adjustment + 4 different modes	Automatic brightness adjustment + 4 different modes	Automatic brightness adjustment + 4 different modes	Automatic brightness adjustment + 4 different modes	Automatic brightness adjustment + 4 different modes

COMMBBOX EXPERIENCE		WHAT'S IN THE BOX
Warranty	3 Year Warranty (plus optional 4 or 5 year spare parts warranty)	Wall Bracket
Support	Same business day help desk support	Remote Control
		Power Cable
		Front Maintenance Tool
		Tool Kit